



Product Service

CERTIFICATE

No. Z1 091172 0025 Rev. 00

Holder of Certificate: **CAGSAN MERDIVEN VE ERISIM
EKIPMANLARI
SANAYI TICARET LIMITED SIRKETI**
Dilovasi O.S.B. 3 Kisim Meriç Cad. 1
41455 MUALLIM KÖYÜ - GEBZE, KOCAELI
TÜRKIYE

Certification Mark:



Product: **Multi-purpose ladders
(Telescopic Hinge Joint Ladders for
professional use)**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: MES2059005A00TR

Valid until: 2028-03-16

Date, 2023-03-20

(GIANPAOLO MENSA)

CERTIFICATE

No. Z1 091172 0025 Rev. 00

Model(s): Multiple hinge-joint ladders
AK011-P, AK011, AK016

Extentional Single Hinge-Joint Ladders
CK250, CK360, CK470.

CK305T and CK417T.

Brand Name: Cagsan

Parameters:

Family: Multiple hinge-joint ladders

Models: AK011-P, AK011, AK016

Model	No. of rungs	Max. Standing Type Height [cm]	Max. length extending configuration [cm]	Platform Height [cm]	Dead Load [kg]
AK011-P *	3x4	168.8	350.5	93.6	17,0
AK011	3x4	168.8	350.5	-	13,5
AK016	4x4	221.3	462.3	-	15,5

*AK011-P with Decking Components

Stile (dimensions in mm): 61,1x23,8x1,3
 Material: EN AW-6060-T5 Series Aluminium Alloy
 Rung (dimensions in mm): 30x30x1,4
 Material: EN AW-6060-T5 Series Aluminium Alloy

CERTIFICATE

No. Z1 091172 0025 Rev. 00

Family: Extensional Single Hinge-Joint Ladders

Models: CK250, CK360, CK470

Model	No. of rungs	Max. Standing Type Height [cm]	Max. length extending configuration [cm]	Dead Load [kg]
CK250	3x4	120	248	11,5
CK360	4x4	173	360	13,2
CK470	5x4	226	472	16,8

Stile (dimensions in mm):

70x27,6x2,5 mm. - 64x25x1,25

Material:

EN AW-6060-T5 Series Aluminium Alloy

Rung (dimensions in mm):

30x30x1,4

Material:

EN AW-6060-T5 Series Aluminium Alloy

Model	No. of rungs	Max. Standing Type Height [cm]	Max. length extending configuration [cm]	Dead Load [kg]
CK305T	3x4	146.5	303.6	10,3
CK417T	4x4	199.9	415.5	14,3

Stile [mm] : 70x27,6x2,5 mm. - 64x25x1,25

Stile Material : EN AW-6063

Rung [mm] : 30x30x1,4

Rung Material: : EN AW-6063

Tested according to:

EN 131-1:2015/A1:2019

EN 131-2:2010/A2:2017

EN 131-3:2018

EN 131-4:2020

EK5/AK1 17-04.04:2023_01